


Zahnriemen – Meterware

Meterware Standard

Meterware mit Beschichtung PAZ


Meterware mit Beschichtung PAZ & PAR



Zahnriemen – Meterware Standard

G&G-Bestell-Nr.	Typ	Profil	ZRB	Rollenlänge
870-001-0000	10-T5	T	10	30m / 50m / 100m
870-002-0000	16-T5	T	16	30m / 50m / 100m
870-003-0000	25-T5	T	25	30m / 50m / 100m
870-104-0000	32-T5	T	32	30m / 50m / 100m
870-105-0000	50-T5	T	50	30m / 50m / 100m
870-106-0000	75-T5	T	75	30m / 50m / 100m
870-107-0000	100-T5	T	100	30m / 50m / 100m
870-108-0000	150-T5	T	150	30m / 50m / 100m
870-004-0000	16-T10	T	16	30m / 50m / 100m
870-005-0000	25-T10	T	25	30m / 50m / 100m
870-006-0000	32-T10	T	32	30m / 50m / 100m
870-007-0000	50-T10	T	50	30m / 50m / 100m
870-008-0000	75-T10	T	75	30m / 50m / 100m
870-009-0000	100-T10	T	100	30m / 50m / 100m
870-110-0000	150-T10	T	150	30m / 50m / 100m
870-010-0000	50-T20	T	50	30m / 50m / 100m
870-011-0000	75-T20	T	75	30m / 50m / 100m
870-012-0000	100-T20	T	100	30m / 50m / 100m
870-013-0000	150-T20	T	150	30m / 50m / 100m


Material: Polyurethan weiß mit Stahlzugstrang
ZRB = Zahnriemenbreite



Zahnriemen – Meterware Standard

G&G-Bestell-Nr.	Typ	Profil	ZRB	Rollenlänge
880-001-0000	10-AT5	AT	10	30m / 50m / 100m
880-002-0000	16-AT5	AT	16	30m / 50m / 100m
880-003-0000	25-AT5	AT	25	30m / 50m / 100m
880-104-0000	32-AT5	AT	32	30m / 50m / 100m
880-105-0000	50-AT5	AT	50	30m / 50m / 100m
880-106-0000	75-AT5	AT	75	30m / 50m / 100m
880-107-0000	100-AT5	AT	100	30m / 50m / 100m
880-108-0000	150-AT5	AT	150	30m / 50m / 100m
880-004-0000	16-AT10	AT	16	30m / 50m / 100m
880-005-0000	25-AT10	AT	25	30m / 50m / 100m
880-006-0000	32-AT10	AT	32	30m / 50m / 100m
880-007-0000	50-AT10	AT	50	30m / 50m / 100m
880-008-0000	75-AT10	AT	75	30m / 50m / 100m
880-009-0000	100-AT10	AT	100	30m / 50m / 100m
880-110-0000	150-AT10	AT	150	30m / 50m / 100m
880-010-0000	50-AT20	AT	50	30m / 50m / 100m
880-011-0000	75-AT20	AT	75	30m / 50m / 100m
880-012-0000	100-AT20	AT	100	30m / 50m / 100m
880-013-0000	150-AT20	AT	150	30m / 50m / 100m

Material: Polyurethan weiß mit Stahlzugstrang
ZRB = Zahnriemenbreite




Zahnriemen – Meterware Standard

G&G-Bestell-Nr.	Typ	Profil	ZRB	Rollenlänge
850-004-0000	HTD-5M-10	HTD	10	30m / 50m / 100m
850-005-0000	HTD-5M-15	HTD	15	30m / 50m / 100m
850-006-0000	HTD-5M-25	HTD	25	30m / 50m / 100m
850-107-0000	HTD-5M-50	HTD	50	30m / 50m / 100m
850-108-0000	HTD-5M-100	HTD	100	30m / 50m / 100m
850-109-0000	HTD-5M-150	HTD	150	30m / 50m / 100m
850-007-0000	HTD-8M-20	HTD	20	30m / 50m / 100m
850-008-0000	HTD-8M-30	HTD	30	30m / 50m / 100m
850-009-0000	HTD-8M-50	HTD	50	30m / 50m / 100m
850-010-0000	HTD-8M-85	HTD	85	30m / 50m / 100m
850-110-0000	HTD-8M-100	HTD	100	30m / 50m / 100m
850-111-0000	HTD-8M-150	HTD	150	30m / 50m / 100m
850-011-0000	HTD-14M-40	HTD	40	30m / 50m / 100m
850-012-0000	HTD-14M-55	HTD	55	30m / 50m / 100m
850-013-0000	HTD-14M-85	HTD	85	30m / 50m / 100m
850-014-0000	HTD-14M-115	HTD	115	30m / 50m / 100m

Material: Polyurethan weiß mit Stahlzugstrang


ZRB = Zahnriemenbreite



Zahnriemen – Meterware mit Beschichtung PAZ

G&G-Bestell-Nr.	Typ	Profil	Beschichtung	ZRB	Rollenlänge
870-001-3000	10-T5	T	PAZ	10	30m / 50m / 100m
870-002-3000	16-T5	T	PAZ	16	30m / 50m / 100m
870-003-3000	25-T5	T	PAZ	25	30m / 50m / 100m
870-104-3000	32-T5	T	PAZ	32	30m / 50m / 100m
870-105-3000	50-T5	T	PAZ	50	30m / 50m / 100m
870-106-3000	75-T5	T	PAZ	75	30m / 50m / 100m
870-107-3000	100-T5	T	PAZ	100	30m / 50m / 100m
870-108-3000	150-T5	T	PAZ	150	30m / 50m / 100m
870-004-3000	16-T10	T	PAZ	16	30m / 50m / 100m
870-005-3000	25-T10	T	PAZ	25	30m / 50m / 100m
870-006-3000	32-T10	T	PAZ	32	30m / 50m / 100m
870-007-3000	50-T10	T	PAZ	50	30m / 50m / 100m
870-008-3000	75-T10	T	PAZ	75	30m / 50m / 100m
870-009-3000	100-T10	T	PAZ	100	30m / 50m / 100m
870-110-3000	150-T10	T	PAZ	150	30m / 50m / 100m
870-010-3000	50-T20	T	PAZ	50	30m / 50m / 100m
870-011-3000	75-T20	T	PAZ	75	30m / 50m / 100m
870-012-3000	100-T20	T	PAZ	100	30m / 50m / 100m
870-013-3000	150-T20	T	PAZ	150	30m / 50m / 100m

Material: Polyurethan weiß mit Stahlzugstrang
 Beschichtung: Nylon S-grün – Zahnseite
 ZRB = Zahnriemenbreite




Zahnriemen – Meterware mit Beschichtung PAZ

G&G-Bestell-Nr.	Typ	Profil	Beschichtung	ZRB	Rollenlänge
880-001-3000	10-AT5	AT	PAZ	10	30m / 50m / 100m
880-002-3000	16-AT5	AT	PAZ	16	30m / 50m / 100m
880-003-3000	25-AT5	AT	PAZ	25	30m / 50m / 100m
880-104-3000	32-AT5	AT	PAZ	32	30m / 50m / 100m
880-105-3000	50-AT5	AT	PAZ	50	30m / 50m / 100m
880-106-3000	75-AT5	AT	PAZ	75	30m / 50m / 100m
880-107-3000	100-AT5	AT	PAZ	100	30m / 50m / 100m
880-108-3000	150-AT5	AT	PAZ	150	30m / 50m / 100m
880-004-3000	16-AT10	AT	PAZ	16	30m / 50m / 100m
880-005-3000	25-AT10	AT	PAZ	25	30m / 50m / 100m
880-006-3000	32-AT10	AT	PAZ	32	30m / 50m / 100m
880-007-3000	50-AT10	AT	PAZ	50	30m / 50m / 100m
880-008-3000	75-AT10	AT	PAZ	75	30m / 50m / 100m
880-009-3000	100-AT10	AT	PAZ	100	30m / 50m / 100m
880-110-3000	150-AT10	AT	PAZ	150	30m / 50m / 100m
880-010-3000	50-AT20	AT	PAZ	50	30m / 50m / 100m
880-011-3000	75-AT20	AT	PAZ	75	30m / 50m / 100m
880-012-3000	100-AT20	AT	PAZ	100	30m / 50m / 100m
880-013-3000	150-AT20	AT	PAZ	150	30m / 50m / 100m

Material: Polyurethan weiß mit Stahlzugstrang

Beschichtung: Nylon S-grün – Zahnseite

ZRB = Zahnriemenbreite





Zahnriemen – Meterware mit Beschichtung PAZ

G&G-Bestell-Nr.	Typ	Profil	Beschichtung	ZRB	Rollenlänge
850-004-3000	HTD-5M-10	HTD	PAZ	10	30m / 50m / 100m
850-005-3000	HTD-5M-15	HTD	PAZ	15	30m / 50m / 100m
850-006-3000	HTD-5M-25	HTD	PAZ	25	30m / 50m / 100m
850-107-3000	HTD-5M-50	HTD	PAZ	50	30m / 50m / 100m
850-108-3000	HTD-5M-100	HTD	PAZ	100	30m / 50m / 100m
850-109-3000	HTD-5M-150	HTD	PAZ	150	30m / 50m / 100m
850-007-3000	HTD-8M-20	HTD	PAZ	20	30m / 50m / 100m
850-008-3000	HTD-8M-30	HTD	PAZ	30	30m / 50m / 100m
850-009-3000	HTD-8M-50	HTD	PAZ	50	30m / 50m / 100m
850-010-3000	HTD-8M-85	HTD	PAZ	85	30m / 50m / 100m
850-110-3000	HTD-8M-100	HTD	PAZ	100	30m / 50m / 100m
850-111-3000	HTD-8M-150	HTD	PAZ	150	30m / 50m / 100m
850-011-3000	HTD-14M-40	HTD	PAZ	40	30m / 50m / 100m
850-012-3000	HTD-14M-55	HTD	PAZ	55	30m / 50m / 100m
850-013-3000	HTD-14M-85	HTD	PAZ	85	30m / 50m / 100m
850-014-3000	HTD-14M-115	HTD	PAZ	115	30m / 50m / 100m

Material: Polyurethan weiß mit Stahlzugstrang

Beschichtung: Nylon S-grün – Zahnseite



ZRB = Zahnriemenbreite



Zahnriemen – Meterware mit Beschichtung PAZ & PAR

G&G-Bestell-Nr.	Typ	Profil	Beschichtung	ZRB	Rollenlänge
870-001-4000	10-T5	T	PAZ PAR	10	30m / 50m / 100m
870-002-4000	16-T5	T	PAZ PAR	16	30m / 50m / 100m
870-003-4000	25-T5	T	PAZ PAR	25	30m / 50m / 100m
870-104-4000	32-T5	T	PAZ PAR	32	30m / 50m / 100m
870-105-4000	50-T5	T	PAZ PAR	50	30m / 50m / 100m
870-106-4000	75-T5	T	PAZ PAR	75	30m / 50m / 100m
870-107-4000	100-T5	T	PAZ PAR	100	30m / 50m / 100m
870-108-4000	150-T5	T	PAZ PAR	150	30m / 50m / 100m
870-004-4000	16-T10	T	PAZ PAR	16	30m / 50m / 100m
870-005-4000	25-T10	T	PAZ PAR	25	30m / 50m / 100m
870-006-4000	32-T10	T	PAZ PAR	32	30m / 50m / 100m
870-007-4000	50-T10	T	PAZ PAR	50	30m / 50m / 100m
870-008-4000	75-T10	T	PAZ PAR	75	30m / 50m / 100m
870-009-4000	100-T10	T	PAZ PAR	100	30m / 50m / 100m
870-110-4000	150-T10	T	PAZ PAR	150	30m / 50m / 100m
870-010-4000	50-T20	T	PAZ PAR	50	30m / 50m / 100m
870-011-4000	75-T20	T	PAZ PAR	75	30m / 50m / 100m
870-012-4000	100-T20	T	PAZ PAR	100	30m / 50m / 100m
870-013-4000	150-T20	T	PAZ PAR	150	30m / 50m / 100m

Material: Polyurethan weiß mit Stahlzugstrang
 Beschichtung: Nylon S-grün – Zahnseite & Zahnrücken
 ZRB = Zahnriemenbreite



Zahnriemen – Meterware mit Beschichtung PAZ & PAR

G&G-Bestell-Nr.	Typ	Profil	Beschichtung	ZRB	Rollenlänge
880-001-4000	10-AT5	AT	PAZ PAR	10	30m / 50m / 100m
880-002-4000	16-AT5	AT	PAZ PAR	16	30m / 50m / 100m
880-003-4000	25-AT5	AT	PAZ PAR	25	30m / 50m / 100m
880-104-4000	32-AT5	AT	PAZ PAR	32	30m / 50m / 100m
880-105-4000	50-AT5	AT	PAZ PAR	50	30m / 50m / 100m
880-106-4000	75-AT5	AT	PAZ PAR	75	30m / 50m / 100m
880-107-4000	100-AT5	AT	PAZ PAR	100	30m / 50m / 100m
880-108-4000	150-AT5	AT	PAZ PAR	150	30m / 50m / 100m
880-004-4000	16-AT10	AT	PAZ PAR	16	30m / 50m / 100m
880-005-4000	25-AT10	AT	PAZ PAR	25	30m / 50m / 100m
880-006-4000	32-AT10	AT	PAZ PAR	32	30m / 50m / 100m
880-007-4000	50-AT10	AT	PAZ PAR	50	30m / 50m / 100m
880-008-4000	75-AT10	AT	PAZ PAR	75	30m / 50m / 100m
880-009-4000	100-AT10	AT	PAZ PAR	100	30m / 50m / 100m
880-110-4000	150-AT10	AT	PAZ PAR	150	30m / 50m / 100m
880-010-4000	50-AT20	AT	PAZ PAR	50	30m / 50m / 100m
880-011-4000	75-AT20	AT	PAZ PAR	75	30m / 50m / 100m
880-012-4000	100-AT20	AT	PAZ PAR	100	30m / 50m / 100m
880-013-4000	150-AT20	AT	PAZ PAR	150	30m / 50m / 100m

Material: Polyurethan weiß mit Stahlzugstrang
 Beschichtung: Nylon S-grün – Zahnseite & Zahnrücken
 ZRB = Zahnriemenbreite